



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/520,341	10/20/2005	Jian Liu	421/67 PCT/US	2710
7590	02/06/2009		EXAMINER	
Arles A Taylor Jr Jenkins Wilson & Taylor Suite 1400 University Tower 3100 Tower Boulevard Durham, NC 27707			SHEN, WU CHENG WINSTON	
			ART UNIT	PAPER NUMBER
			1632	
			MAIL DATE	DELIVERY MODE
			02/06/2009	PAPER

## NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed 1-5-05 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures 8A, 8B are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures 8 are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b).**

Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

### Return Corrected Drawings/Specification to:

Mail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

571-272-4200 or 1-888-786-0101  
Application Assistance Unit  
Office of Data Management